

Supplementary material from:

Chávez-Andrade, M., de la Cueva, H., Luévano-Esparza, J., & Lavín Murcio, P. A. (2023). Contributions of bioacoustics to the scientific knowledge of marine mammals in Latin America. *Latin American Journal of Aquatic Mammals*, 18(1), 96-113. <https://doi.org/10.5597/lajam00302>

Supplementary Material 2. List of papers found on the Web of Science related to bioacoustics in marine mammals in Latin American countries.

1. Cummings, W. C., & Thompson, P. O. (1971). Underwater sounds from the blue whale, *Balaenoptera musculus*. *The Journal of the Acoustical Society of America*, 50(4B), 1193–1198. <https://doi.org/10.1121/1.1912752>
2. Winn, H. E., Edel, R. K., & Taruski, A. G. (1975). Population estimate of the humpback whale (*Megaptera novaeangliae*) in the West Indies by visual and acoustic techniques. *Journal of the Fisheries Research Board of Canada*, 32(4), 499–506. <https://doi.org/10.1139/f75-061>
3. Winn, HE; Winn, L.K. (1978). Song of humpback whale *Megaptera-novaeangliae* in West-Indies. *Marine Biology*, 47, 97-114. <https://doi.org/10.1007/BF00395631>
4. Hafner, GW; Hamilton, CL; Steiner, WW; Thompson, TJ; Winn, HE. (1979). Signature information in the song of the humpback whale. *Journal of the Acoustical Society of America*, 66, 1-6. <https://doi.org/10.1121/1.383072>
5. Clark, C. W., & Clark, J. M. (1980). Sound playback experiments with southern right whales (*Eubalaena australis*). *Science, New Series*, 207(4431), 663–665.
6. Winn, H. E., Thompson, T. J., Cummings, W. C., Hain, J., Hudnall, J., Hays, H., & Steiner, W. W. (1981). Song of the humpback whale—Population comparisons. *Behavioral Ecology and Sociobiology*, 8(1), 41–46. <https://doi.org/10.1007/BF00302842>
7. Trillmich, F; Majluf, P. (1981). 1st observations on colony structure, behavior, and vocal repertoire of the South-american fur-seal (*Arctocephalus-australis* Zimmermann, 1783) in Peru. *International Journal of Mammalian Biology*, 46, 310-322.
8. Steiner, W. W. (1981). Species-specific differences in pure tonal whistle vocalizations of five western North Atlantic dolphin species. *Behavioral Ecology and Sociobiology*, 9(4), 241–246. <https://doi.org/10.1007/BF00299878>
9. Clark, C. W. (1982). The acoustic repertoire of the Southern right whale, a quantitative analysis. *Animal Behaviour*, 30(4), 1060–1071. [https://doi.org/10.1016/S0003-3472\(82\)80196-6](https://doi.org/10.1016/S0003-3472(82)80196-6)
10. Cummings, W. C., Thompson, P. O., & Ha, S. J. (1986). Sounds from Bryde, *Balaenoptera edeni*, and finback, *B. physalus*, whales in the Gulf of California. 84(2), 359-370.
11. Chu, K., & Harcourt, P. (1986). Behavioral correlations with aberrant patterns in humpback whale songs. *Behavioral Ecology and Sociobiology*, 19(5), 309–312. <https://doi.org/10.1007/BF00295703>
12. Weilgart, L. S., & Whitehead, H. (1988). Distinctive vocalizations from mature male sperm whales (*Physeter macrocephalus*). *Canadian Journal of Zoology*, 66(9), 1931–1937. <https://doi.org/10.1139/z88-282>
13. Whitehead, H., & Weilgart, L. (1990). Click rates from sperm whales. *The Journal of the Acoustical Society of America*, 87(4), 1798–1806. <https://doi.org/10.1121/1.399376>

14. Whitehead, H., & Weilgart, L. (1991). Patterns of visually observable behaviour and vocalizations in groups of female sperm whales. *Behaviour*, 118(3/4), 275–296.
15. Thompson, P. O., Findley, L. T., & Vidal, O. (1992). 20-Hz pulses and other vocalizations of fin whales, *Balaenoptera physalus*, in the Gulf of California, Mexico. *The Journal of the Acoustical Society of America*, 92(6), 3051–3057. <https://doi.org/10.1121/1.404201>
16. Weilgart, L., & Whitehead, H. (1993). Coda communication by sperm whales (*Physeter macrocephalus*) off the Galápagos Islands. *Canadian Journal of Zoology*, 71(4), 744–752. <https://doi.org/10.1139/z93-098>
17. Moore, K. E., Watkins, W. A., & Tyack, P. L. (1993). Pattern similarity in shared codas from sperm whales (*Physeter catodon*). *Marine Mammal Science*, 9(1), 1–9. <https://doi.org/10.1111/j.1748-7692.1993.tb00421.x>
18. Edds, PL; Odell, DK; Tershy, BR. (1993). Vocalizations of a captive juvenile and free-ranging adult-calf pairs of Bryde whales, *Balaenoptera edeni*. *Marine mammal science* 9(3), 269-284. <https://doi.org/10.1111/j.1748-7692.1993.tb00455.x>
19. Thompson, P. O., Findley, L. T., Vidal, O., & Cummings, W. C. (1996). Underwater sounds of blue whales, *Balaenoptera musculus*, in the Gulf of California, Mexico. *Marine Mammal Science*, 12(2), 288–293. <https://doi.org/10.1111/j.1748-7692.1996.tb00578.x>
20. Weilgart, L., & Whitehead, H. (1997). Group-specific dialects and geographical variation in coda repertoire in South Pacific sperm whales. *Behavioral Ecology and Sociobiology*, 40(5), 277–285. <https://doi.org/10.1007/s002650050343>
21. Premus, V., & Spiesberger, J. L. (1997). Can acoustic multipath explain finback (*B. physalus*) 20-Hz doublets in shallow water? *The Journal of the Acoustical Society of America*, 101(2), 1127–1138. <https://doi.org/10.1121/1.418269>
22. Whitehead, H., Dillon, M., Dufault, S., Weilgart, L., & Wright, J. (1998). Non-geographically based population structure of South Pacific sperm whales: Dialects, fluke-markings and genetics. *Journal of Animal Ecology*, 67(2), 253–262. <https://doi.org/10.1046/j.1365-2656.1998.00187.x>
23. Fernandez-Juricic, E. F., Enriquez, V., Campagna, C., & Ortiz, C. L. (1999). Vocal communication and individual variation in breeding south american sea lions. *Behaviour*, 136(4), 495–517. <https://doi.org/10.1163/156853999501441>
24. Stafford, K. M., Nieuirkirk, S. L., & Fox, C. G. (1999). An acoustic link between blue whales in the Eastern Tropical Pacific and the northeast pacific. *Marine Mammal Science*, 15(4), 1258–1268. <https://doi.org/10.1111/j.1748-7692.1999.tb00889.x>
25. Merlen, G. (2000). Nocturnal acoustic location of the Galapagos fur seal *Arctocephalus galapagoensis*. *Marine Mammal Science*, 16(1), 248–253. <https://doi.org/10.1111/j.1748-7692.2000.tb00917.x>
26. Thode, A., Norris, T., & Barlow, J. (2000). Frequency beamforming of dolphin whistles using a sparse three-element towed array. *The Journal of the Acoustical Society of America*, 107(6), 3581–3584. <https://doi.org/10.1121/1.429432>
27. Phillips, A. V., & Stirling, I. (2000). Vocal individuality in mother and pup south american fur seals, *Arctocephalus australis*. *Marine Mammal Science*, 16(3), 592–616. <https://doi.org/10.1111/j.1748-7692.2000.tb00954.x>

28. Mellinger, D. K., Carson, C. D., & Clark, C. W. (2000). Characteristics of minke whale (*Balaenoptera acutorostrata*) pulse trains recorded near Puerto Rico. *Marine Mammal Science*, 16(4), 739–756. <https://doi.org/10.1111/j.1748-7692.2000.tb00969.x>
29. Fernandez-Juricic, E., Campagna, C., Enriquez, V., & Ortiz, C. L. (2001). Vocal rates and social context in male South American sea lions. *Marine Mammal Science*, 17(2), 387–396. <https://doi.org/10.1111/j.1748-7692.2001.tb01281.x>
30. Monteiro-Filho, E. L. A., & Monteiro, K. D. K. A. (2001). Low-frequency sounds emitted by *Sotalia fluviatilis guianensis* (Cetacea: Delphinidae) in an estuarine region in southeastern Brazil. *Canadian Journal of Zoology*, 79(1), 59–66. <https://doi.org/10.1139/cjz-79-1-59>
31. Cerchio, S., Jacobsen, J. K., & Norris, T. F. (2001). Temporal and geographical variation in songs of humpback whales, *Megaptera novaeangliae*: synchronous change in Hawaiian and Mexican breeding assemblages. *Animal Behaviour*, 62(2), 313–329. <https://doi.org/10.1006/anbe.2001.1747>
32. Phillips, A. V., & Stirling, I. (2001). Vocal repertoire of South American fur seals, *Arctocephalus australis*: structure, function, and context. *Canadian Journal of Zoology*, 79(3), 420–437. <https://doi.org/10.1139/cjz-79-3-420>
33. Ding, W., Würsig, B., & Leatherwood, S. (2001). Whistles of boto, *Inia geoffrensis*, and tucuxi, *Sotalia fluviatilis*. *The Journal of the Acoustical Society of America*, 109(1), 407–411. <https://doi.org/10.1121/1.1326082>
34. Bordino, P., Kraus, S., Albareda, D., Fazio, A., Palmerio, A., Mendez, M., & Botta, S. (2002). Reducing incidental mortality of Franciscana dolphin *Pontoporia blainvilliei* with acoustic warning devices attached to fishing nets. *Marine Mammal Science*, 18(4), 833–842. <https://doi.org/10.1111/j.1748-7692.2002.tb01076.x>
35. Podos, J., da Silva, V. M. F., & Rossi-Santos, M. R. (2002). Vocalizations of Amazon River dolphins, *Inia geoffrensis*: insights into the evolutionary origins of delphinid whistles. *Ethology*, 108(7), 601–612. <https://doi.org/10.1046/j.1439-0310.2002.00800.x>
36. Nowacek, D. P., Casper, B. M., Wells, R. S., Nowacek, S. M., & Mann, D. A. (2003). Intraspecific and geographic variation of West Indian manatee (*Trichechus manatus spp.*) vocalizations (L). *The Journal of the Acoustical Society of America*, 114(1), 66–69. <https://doi.org/10.1121/1.1582862>
37. Oswald, J. N., Barlow, J., & Norris, T. F. (2003). Acoustic identification of nine delphinid species in the Eastern Tropical Pacific Ocean. *Marine Mammal Science*, 19(1), 20–037. <https://doi.org/10.1111/j.1748-7692.2003.tb01090.x>
38. Oleson, E. M., Barlow, J., Gordon, J., Rankin, S., & Hildebrand, J. A. (2003). Low frequency calls of Bryde's whales. *Marine Mammal Science*, 19(2), 407–419. <https://doi.org/10.1111/j.1748-7692.2003.tb01119.x>
39. Rendell, L. E., & Whitehead, H. (2003b). Comparing repertoires of sperm whale codas: a multiple methods approach. *Bioacoustics*, 14(1), 61–81. <https://doi.org/10.1080/09524622.2003.9753513>
40. Rendell, L. E., & Whitehead, H. (2003a). Vocal clans in sperm whales (*Physeter macrocephalus*). *Proceedings: Biological Sciences*, 270(1512), 225–231.
41. Sanvito, S., & Galimberti, F. (2003). Source level of male vocalisations in the genus *Mirounga*: repeatability and correlates. *Bioacoustics*, 14(1), 47–59. <https://doi.org/10.1080/09524622.2003.9753512>

42. Swartz, S. L., Cole, T., McDonald, M. A., Hildebrand, J. A., Oleson, E. M., Martinez, A., Clapham, P. J., Barlow, J., & Jones, M. L. (2003). Acoustic and visual survey of humpback whale (*Megaptera novaeangliae*) distribution in the eastern and southeastern Caribbean Sea. *Caribbean Journal of Science*, 39(2), 195–208.
43. Erber, C., & Simão, S. M. (2004). Analysis of whistles produced by the Tucuxi dolphin *Sotalia fluviatilis* from Sepetiba Bay, Brazil. *Anais Da Academia Brasileira de Ciências*, 76(2), 381–385. <https://doi.org/10.1590/S0001-37652004000200029>
44. Monteiro-Neto, C., Vila, F. J. C. A., Alves-Jr, T. T., Araujo, D. S., Campos, A. A., Martins, A. M. A., Parente, C. L., Manuel, A., Furtado-Neto, R., & Lien, J. (2004). Behavioral responses of *Sotalia fluviatilis* (Cetacea, Delphinidae) to acoustic pingers, Fortaleza, Brazil. *Marine Mammal Science*, 20(1), 145–151. <https://doi.org/10.1111/j.1748-7692.2004.tb01145.x>
45. Arraut, E. M., & Vielliard, J. M. E. (2004). The song of the Brazilian population of Humpback Whale *Megaptera novaeangliae*, in the year 2000: individual song variations and possible implications. *Anais Da Academia Brasileira de Ciências*, 76(2), 373–380. <https://doi.org/10.1590/S0001-37652004000200028>
46. Oswald, J. N., Rankin, S., & Barlow, J. (2004). The effect of recording and analysis bandwidth on acoustic identification of delphinid species. *The Journal of the Acoustical Society of America*, 116(5), 3178–3185. <https://doi.org/10.1121/1.1804635>
47. Stafford, K. M., Bohnenstiehl, D. R., Tolstoy, M., Chapp, E., Mellinger, D. K., & Moore, S. E. (2004). Antarctic-type blue whale calls recorded at low latitudes in the Indian and eastern Pacific Oceans. *Deep Sea Research Part I: Oceanographic Research Papers*, 51(10), 1337–1346. <https://doi.org/10.1016/j.dsr.2004.05.007>
48. Rendell, L., & Whitehead, H. (2004). Do sperm whales share coda vocalizations? Insights into coda usage from acoustic size measurement. *Animal Behaviour*, 67(5), 865–874. <https://doi.org/10.1016/j.anbehav.2003.04.018>
49. Bazúa-Durán, C. (2004). Differences in the whistle characteristics and repertoire of bottlenose and spinner dolphins. *Anais Da Academia Brasileira de Ciências*, 76(2), 386–392. <https://doi.org/10.1590/S0001-37652004000200030>
50. Darling, J. D., & Sousa-Lima, R. S. (2005). Songs indicate interaction between humpback whale (*Megaptera novaeangliae*) populations in the western and eastern South Atlantic Ocean. *Marine Mammal Science*, 21(3), 557–566. <https://doi.org/10.1111/j.1748-7692.2005.tb01249.x>
51. Simao, S. M., & Moreira, S. C. (2005). Vocalizations of a female humpback whale in Arraial do Cbo (RJ, Brazil). *Marine Mammal Science*, 21(1), 150–153. <https://doi.org/10.1111/j.1748-7692.2005.tb01215.x>
52. Pivari, D., & Rosso, S. (2005). Whistles of small groups of *Sotalia fluviatilis* during foraging behavior in southeastern Brazil. *The Journal of the Acoustical Society of America*, 118(4), 2725–2731. <https://doi.org/10.1121/1.2033569>
53. Azevedo, A. F., & Van Sluys, M. (2005). Whistles of Tucuxi dolphins (*Sotalia fluviatilis*) in Brazil: comparisons among populations. *The Journal of the Acoustical Society of America*, 117(3), 1456–1464. <https://doi.org/10.1121/1.1859232>
54. Rendell, L., & Whitehead, H. (2005a). Coda playbacks to sperm whales in Chilean waters. *Marine Mammal Science*, 21(2), 307–316. <https://doi.org/10.1111/j.1748-7692.2005.tb01230.x>

55. Rankin, S., & Barlow, J. (2005). Source of the North Pacific “boing” sound attributed to minke whales. *The Journal of the Acoustical Society of America*, 118(5), 3346–3351. <https://doi.org/10.1121/1.2046747>
56. Rendell, L., & Whitehead, H. (2005b). Spatial and temporal variation in sperm whale coda vocalizations: stable usage and local dialects. *Animal Behaviour*, 70(1), 191–198. <https://doi.org/10.1016/j.anbehav.2005.03.001>
57. Stafford, K. M., Moore, S. E., & Fox, C. G. (2005). Diel variation in blue whale calls recorded in the Eastern Tropical Pacific. *Animal Behaviour*, 69(4), 951–958. <https://doi.org/10.1016/j.anbehav.2004.06.025>
58. Mann, D. A., O’Shea, T. J., & Nowacek, D. P. (2006). Nonlinear dynamics in manatee vocalizations. *Marine Mammal Science*, 22(3), 548–555. <https://doi.org/10.1111/j.1748-7692.2006.00036.x>
59. Rossi-Santos, M. R., & Podos, J. (2006). Latitudinal variation in whistle structure of the estuarine dolphin *Sotalia guianensis*. *Behaviour*, 143(3), 347–364. <https://doi.org/10.1163/156853906775897905>
60. Camargo, F. S., Rollo, M. M., Giampaoli, V., & Bellini, C. (2006). Whistle variability in South Atlantic spinner dolphins from the Fernando de Noronha Archipelago off Brazil. *The Journal of the Acoustical Society of America*, 120(6), 4071–4079. <https://doi.org/10.1121/1.2359704>
61. Marcoux, M., Whitehead, H., & Rendell, L. (2006). Coda vocalizations recorded in breeding areas are almost entirely produced by mature female sperm whales (*Physeter macrocephalus*). *Canadian Journal of Zoology*, 84(4), 609–614. <https://doi.org/10.1139/z06-035>
62. Parks, S. E., Clark, C. W., & Tyack, P. L. (2007). Short- and long-term changes in right whale calling behavior: the potential effects of noise on acoustic communication. *The Journal of the Acoustical Society of America*, 122(6), 3725–3731. <https://doi.org/10.1121/1.2799904>
63. Azevedo, A. F., Oliveira, A. M., Rosa, L. D., & Lailson-Brito, J. (2007). Characteristics of whistles from resident bottlenose dolphins (*Tursiops truncatus*) in southern Brazil. *The Journal of the Acoustical Society of America*, 121(5), 2978–2983. <https://doi.org/10.1121/1.2713726>
64. Marcoux, M., Rendell, L., & Whitehead, H. (2007). Indications of fitness differences among vocal clans of sperm whales. *Behavioral Ecology and Sociobiology*, 61(7), 1093–1098.
65. Oswald, J. N., Rankin, S., & Barlow, J. (2007). First description of whistles of Pacific Fraser’s dolphins *Lagenodelphis hosei*. *Bioacoustics*, 16(2), 99–111. <https://doi.org/10.1080/09524622.2007.9753570>
66. May-Collado, L. J., & Wartzok, D. (2007). The freshwater dolphin *Inia geoffrensis geoffrensis* produces high frequency whistles. *The Journal of the Acoustical Society of America*, 121(2), 1203–1212. <https://doi.org/10.1121/1.2404918>
67. Rossi-Santos, M. R., da Silva, J. M., Silva, F. L., & Monteiro-Filho, E. L. A. (2008). Descriptive parameters of pulsed calls for the spinner dolphin, *Stenella longirostris*, in the Fernando de Noronha Archipelago, Brazil. *Journal of the Marine Biological Association of the United Kingdom*, 88(6), 1093–1097. <https://doi.org/10.1017/S0025315408000404>
68. May-Collado, L. J., & Wartzok, D. (2008). A comparison of bottlenose dolphin whistles in the Atlantic Ocean: factors promoting whistle variation. *Journal of Mammalogy*, 89(5), 1229–1240.

69. Schulz, T. M., Whitehead, H., Gero, S., & Rendell, L. (2008). Overlapping and matching of codas in vocal interactions between sperm whales: insights into communication function. *Animal Behaviour*, 76(6), 1977–1988. <https://doi.org/10.1016/j.anbehav.2008.07.032>
70. Kunc, H. P., & Wolf, J. B. W. (2008). Seasonal changes of vocal rates and their relation to territorial status in male Galápagos sea lions (*Zalophus wollebaeki*). *Ethology*, 114(4), 381–388. <https://doi.org/10.1111/j.1439-0310.2008.01484.x>
71. Duarte de Figueiredo, L., & Simão, S. M. (2009). Possible occurrence of signature whistles in a population of *Sotalia guianensis* (Cetacea, Delphinidae) living in Sepetiba Bay, Brazil. *The Journal of the Acoustical Society of America*, 126(3), 1563–1569. <https://doi.org/10.1121/1.3158822>
72. May-Collado, L. J., & Wartzok, D. (2009). A characterization of Guyana dolphin (*Sotalia guianensis*) whistles from Costa Rica: The importance of broadband recording systems. *The Journal of the Acoustical Society of America*, 125(2), 1202–1213. <https://doi.org/10.1121/1.3058631>
73. Dunn, R. A., & Hernandez, O. (2009). Tracking blue whales in the Eastern Tropical Pacific with an ocean-bottom seismometer and hydrophone array. *The Journal of the Acoustical Society of America*, 126(3), 1084–1094. <https://doi.org/10.1121/1.3158929>
74. Tougaard, J., & Kyhn, L. A. (2009). Echolocation sounds of hourglass dolphins (*Lagenorhynchus cruciger*) are similar to the narrow band high-frequency echolocation sounds of the dolphin genus *Cephalorhynchus*. *Marine Mammal Science*, 26(1), 239–245. <https://doi.org/10.1111/j.1748-7692.2009.00307.x>
75. Azevedo, A. F., Flach, L., Bisi, T. L., Andrade, L. G., Dorneles, P. R., & Lailson-Brito, J. (2010). Whistles emitted by Atlantic spotted dolphins (*Stenella frontalis*) in southeastern Brazil. *The Journal of the Acoustical Society of America*, 127(4), 2646–2651. <https://doi.org/10.1121/1.3308469>
76. Götz, T., Antunes, R., & Heinrich, S. (2010). Echolocation clicks of free-ranging Chilean dolphins (*Cephalorhynchus eutropis*) (L.). 563–566.
77. Buchan, S. J., Rendell, L. E., & Hucke-Gaete, R. (2010). Preliminary recordings of blue whale (*Balaenoptera musculus*) vocalizations in the Gulf of Corcovado, northern Patagonia, Chile. *Marine Mammal Science*, 26(2), 451–459. <https://doi.org/10.1111/j.1748-7692.2009.00338.x>
78. May-Collado, L. J. (2010). Changes in whistle structure of two dolphin species during interspecific associations: changes in whistle structure during interspecific associations. *Ethology*, 116(11), 1065–1074. <https://doi.org/10.1111/j.1439-0310.2010.01828.x>
79. Trimble, M., & Insley, S. J. (2010). Mother–offspring reunion in the South American sea lion *Otaria flavescens* at Isla de Lobos (Uruguay): Use of spatial, acoustic and olfactory cues. *Ethology Ecology & Evolution*, 22(3), 233–246. <https://doi.org/10.1080/03949370.2010.502318>
80. Gerrodette, T., Taylor, B. L., Swift, R., Rankin, S., Jaramillo-Legorreta, A. M., & Rojas-Bracho, L. (2011). A combined visual and acoustic estimate of 2008 abundance, and change in abundance since 1997, for the vaquita, *Phocoena sinus*. *Marine Mammal Science*, 27(2), E79–E100. <https://doi.org/10.1111/j.1748-7692.2010.00438.x>
81. Gallo-Reynoso, J.-P., Égido-Villarreal, J., & Martínez-Villalba, G. (2011). Reaction of fin whales *Balaenoptera physalus* to an earthquake. *Bioacoustics*, 20(3), 317–329. <https://doi.org/10.1080/09524622.2011.9753654>

82. Trimble, M., & Charrier, I. (2011). Individuality in South American sea lion (*Otaria flavescens*) mother–pup vocalizations: Implications of ecological constraints and geographical variations? *Mammalian Biology*, 76(2), 208–216. <https://doi.org/10.1016/j.mambio.2010.10.009>
83. Vaughn-Hirshorn, R. L., Hodge, K. B., Würsig, B., Sappenfield, R. H., Lammers, M. O., & Dudzinski, K. M. (2012). Characterizing dusky dolphin sounds from Argentina and New Zealand. *The Journal of the Acoustical Society of America*, 132(1), 498–506. <https://doi.org/10.1121/1.4728191>
84. Melcón, M. L., Failla, M., & Iñíguez, M. A. (2012). Echolocation behavior of Franciscana dolphins (*Pontoporia blainvilliei*) in the wild. *The Journal of the Acoustical Society of America*, 131(6), EL448–EL453. <https://doi.org/10.1121/1.4710837>
85. Seabra de Lima, I. M., de Andrade, L. G., Ramos de Carvalho, R., Lailson-Brito, J., & de Freitas Azevedo, A. (2012). Characteristics of whistles from rough-toothed dolphins (*Steno bredanensis*) in Rio de Janeiro coast, southeastern Brazil. *The Journal of the Acoustical Society of America*, 131(5), 4173–4181. <https://doi.org/10.1121/1.3701878>
86. Rendell, L., Mesnick, S. L., Dalebout, M. L., Burtenshaw, J., & Whitehead, H. (2012). Can Genetic Differences Explain Vocal Dialect Variation in Sperm Whales, *Physeter macrocephalus*? *Behavior Genetics*, 42(2), 332–343. <https://doi.org/10.1007/s10519-011-9513-y>
87. Simonis, A. E., Baumann-Pickering, S., Oleson, E., Melcón, M. L., Gassmann, M., Wiggins, S. M., & Hildebrand, J. A. (2011). High-frequency modulated signals of killer whales (*Orcinus orca*) in the North Pacific. *The Journal of the Acoustical Society of America*, 130(4), 2322–2322. <https://doi.org/10.1121/1.3654283>
88. Ponce, D., Thode, A. M., Guerra, M., Urbán R., J., & Swartz, S. (2012). Relationship between visual counts and call detection rates of gray whales (*Eschrichtius robustus*) in Laguna San Ignacio, Mexico. *The Journal of the Acoustical Society of America*, 131(4), 2700–2713. <https://doi.org/10.1121/1.3689851>
89. Deconto, L. S., & Monteiro-Filho, E. L. A. (2013). High initial and minimum frequencies of *Sotalia guianensis* whistles in the southeast and south of Brazil. *The Journal of the Acoustical Society of America*, 134(5), 3899–3904. <https://doi.org/10.1121/1.4823845>
90. May-Collado, L. J. (2013). Guyana dolphins (*Sotalia guianensis*) from Costa Rica emit whistles that vary with surface behaviors. *The Journal of the Acoustical Society of America*, 134(4), EL359–EL365. <https://doi.org/10.1121/1.4818938>
91. Rankin, S., Archer, F., & Barlow, J. (2012). Vocal activity of tropical dolphins is inhibited by the presence of killer whales, *Orcinus orca*. *Marine Mammal Science*, 29(4), 679–690. <https://doi.org/10.1111/j.1748-7692.2012.00613.x>
92. Baumann-Pickering, S., McDonald, M. A., Simonis, A. E., Solsona Berga, A., Merkens, K. P. B., Oleson, E. M., Roch, M. A., Wiggins, S. M., Rankin, S., Yack, T. M., & Hildebrand, J. A. (2013). Species-specific beaked whale echolocation signals. *The Journal of the Acoustical Society of America*, 134(3), 2293–2301. <https://doi.org/10.1121/1.4817832>
93. Buchan, S., Hucke-Gaete, R., Rendell, L., & Stafford, K. (2014). A new song recorded from blue whales in the Corcovado Gulf, Southern Chile, and an acoustic link to the Eastern

- Tropical Pacific. *Endangered Species Research*, 23(3), 241–252.
<https://doi.org/10.3354/esr00566>
94. Mangel, J. C., Alfaro-Shigueto, J., Witt, M. J., Hodgson, D. J., & Godley, B. J. (2013). Using pingers to reduce bycatch of small cetaceans in Peru's small-scale driftnet fishery. *Oryx*, 47(4), 595–606. <https://doi.org/10.1017/S0030605312000658>
95. Tellechea, J. S., Roman-Busó, G., & Martínez-Rivera, N. (2013). Distribution of Manatees and Noise Near a Coastal Power Plant. *Caribbean Journal of Science*, 47(2–3), 350–353.
<https://doi.org/10.18475/cjos.v47i3.a24>
96. Smultea, M. A., Holst, M., Koski, W. R., Roi, S. S., Sayegh, A. J., Fossati, C., Goldstein, H. H., Beland, J. A., MacLean, S., & Yin, S. (2013). Visual-acoustic survey of cetaceans during a seismic study in the southeast Caribbean sea, April–June 2004. *Caribbean Journal of Science*, 47(2–3), 273–283. <https://doi.org/10.18475/cjos.v47i3.a15>
97. Figueiredo, L. (2014). Bryde's Whale (Balaenoptera edeni) Vocalizations from southeast Brazil. *Aquatic Mammals*, 40(3), 225–231. <https://doi.org/10.1578/AM.40.3.2014.225>
98. Lima, A., & Le Pendu, Y. (2014). Evidence for signature whistles in Guiana dolphins (*Sotalia guianensis*) in Ilhéus, northeastern Brazil. *The Journal of the Acoustical Society of America*, 136(6), 3178–3185. <https://doi.org/10.1121/1.4900829>
99. Buchan, S., Hucke-Gaete, R., Rendell, L., & Stafford, K. (2014). A new song recorded from blue whales in the Corcovado Gulf, Southern Chile, and an acoustic link to the Eastern Tropical Pacific. *Endangered Species Research*, 23(3), 241–252.
<https://doi.org/10.3354/esr00566>
100. Monnahan, C. C., Branch, T. A., Stafford, K. M., Ivashchenko, Y. V., & Oleson, E. M. (2014). Estimating historical Eastern North Pacific blue whale catches using spatial calling patterns. *PLoS ONE*, 9(6), e98974. <https://doi.org/10.1371/journal.pone.0098974>
101. Baumann-Pickering, S., Roch, M. A., Brownell Jr, R. L., Simonis, A. E., McDonald, M. A., Solsona-Berga, A., Oleson, E. M., Wiggins, S. M., & Hildebrand, J. A. (2014). Spatio-temporal patterns of beaked whale echolocation signals in the North Pacific. *PLoS ONE*, 9(1), e86072.
<https://doi.org/10.1371/journal.pone.0086072>
102. May-Collado, L. J., & Quiñones-Lebrón, S. G. (2014). Dolphin changes in whistle structure with watercraft activity depends on their behavioral state. *The Journal of the Acoustical Society of America*, 135(4), EL193–EL198. <https://doi.org/10.1121/1.4869255>
103. Tellechea, J. (2014). Passive acoustic monitoring of bottlenose dolphins (*Tursiops truncatus*) on the Uruguayan coast: vocal characteristics and seasonal cycles. *Aquatic Mammals*, 40(2), 173–184. <https://doi.org/10.1578/AM.40.2.2014.173>
104. Reyes Reyes, M. V., Iñíguez, M. A., Hevia, M., Hildebrand, J. A., & Melcón, M. L. (2015). Description and clustering of echolocation signals of Commerson's dolphins (*Cephalorhynchus commersonii*) in Bahía San Julián, Argentina. *The Journal of the Acoustical Society of America*, 138(4), 2046–2053. <https://doi.org/10.1121/1.4929899>
105. Yamamoto, Y., Akamatsu, T., da Silva, V. M. F., Yoshida, Y., & Kohshima, S. (2015). Acoustic characteristics of biosonar sounds of free-ranging Botos (*Inia geoffrensis*) and Tucuxis (*Sotalia fluviatilis*) in the Negro River, Amazon, Brazil. *The Journal of the Acoustical Society of America*, 138(2), 687–693. <https://doi.org/10.1121/1.4926440>

106. Ladegaard, M., Jensen, F. H., de Freitas, M., Ferreira da Silva, V. M., & Madsen, P. T. (2015). Amazon river dolphins (*Inia geoffrensis*) use a high-frequency short-range biosonar. *Journal of Experimental Biology*, 218(19), 3091–3101. <https://doi.org/10.1242/jeb.120501>
107. Andrade, L. G. de, Maria Seabra Lima, I., Bittencourt, L., Lemos Bisi, T., Lailson Brito Júnior, J., & de Freitas Azevedo, A. (2015). High-frequency whistles of Guiana dolphins (*Sotalia guianensis*) in Guanabara Bay, southeastern Brazil. *The Journal of the Acoustical Society of America*, 137(1), EL15–EL19. <https://doi.org/10.1121/1.4902428>
108. Andriolo, A., Reis, S. S., Amorim, T. O. S., Sucunza, F., de Castro, F. R., Maia, Y. G., Zerbini, A. N., Bortolotto, G. A., & Dalla Rosa, L. (2015). Killer whale (*Orcinus orca*) whistles from the western South Atlantic Ocean include high frequency signals. *The Journal of the Acoustical Society of America*, 138(3), 1696–1701. <https://doi.org/10.1121/1.4928308>
109. Rossi-Santos, M. R. (2015). Oil industry and noise pollution in the humpback whale (*Megaptera novaeangliae*) soundscape ecology of the southwestern Atlantic breeding ground. *Journal of Coastal Research*, 31(1), 184. <https://doi.org/10.2112/JCOASTRES-D-13-00195.1>
110. Moron, J. R., Simões Amorim, T. O., Sucunza, F., de Castro, F. R., Rossi-Santos, M., & Andriolo, A. (2015). Spinner dolphin whistle in the southwest Atlantic Ocean: is there a geographic variation? *The Journal of the Acoustical Society of America*, 138(4), 2495–2498. <https://doi.org/10.1121/1.4931900>
111. de Andrade, L. G., Lima, I. M. S., da Silva Macedo, H., de Carvalho, R. R., Lailson-Brito, J., Flach, L., & de Freitas Azevedo, A. (2015). Variation in Guiana dolphin (*Sotalia guianensis*) whistles: using a broadband recording system to analyze acoustic parameters in three areas of southeastern Brazil. *Acta Ethologica*, 18(1), 47–57. <https://doi.org/10.1007/s10211-014-0183-7>
112. Buchan, S. J., Stafford, K. M., & Hucke-Gaete, R. (2015). Seasonal occurrence of southeast Pacific blue whale songs in southern Chile and the Eastern Tropical Pacific. *Marine Mammal Science*, 31(2), 440–458. <https://doi.org/10.1111/mms.12173>
113. Viloria-Gómora, L., Romero-Vivas, E., & Urbán R., J. (2015). Calls of Bryde's whale (*Balaenoptera edeni*) recorded in the Gulf of California. *The Journal of the Acoustical Society of America*, 138(5), 2722–2725. <https://doi.org/10.1121/1.4932032>
114. Rankin, S., Oswald, J. N., Simonis, A. E., & Barlow, J. (2015). Vocalizations of the rough-toothed dolphin, *Steno bredanensis*, in the Pacific Ocean. *Marine Mammal Science*, 31(4), 1538–1548. <https://doi.org/10.1111/mms.12226>
115. Rivera Chavarría, M., Castro, J., & Camacho, A. (2015). The relationship between acoustic habitat, hearing and tonal vocalizations in the Antillean manatee (*Trichechus manatus manatus*, Linnaeus, 1758). *Biology Open*, 4(10), 1237–1242. <https://doi.org/10.1242/bio.013631>
116. Reyes Reyes, M. V., Tossenberger, V. P., Iñiguez, M. A., Hildebrand, J. A., & Melcón, M. L. (2016). Communication sounds of Commerson's dolphins (*Cephalorhynchus commersonii*) and contextual use of vocalizations. *Marine Mammal Science*, 32(4), 1219–1233. <https://doi.org/10.1111/mms.12321>
117. Melcón, M. L., Failla, M., & Iñíguez, M. A. (2016). Towards understanding the ontogeny of echolocation in Franciscana dolphins (*Pontoporia blainvillei*). *Marine Mammal Science*, 32(4), 1516–1521. <https://doi.org/10.1111/mms.12336>

118. Leão, D. T., Monteiro-Filho, E. L. A., & Silva, F. J. L. (2016). Acoustic parameters of sounds emitted by *Sotalia guianensis*: dialects or acoustic plasticity. *Journal of Mammalogy*, 97(2), 611–618. <https://doi.org/10.1093/jmammal/ggv208>
119. Deconto, L. S., & Monteiro-Filho, E. L. A. (2016). Day and night sounds of the Guiana dolphin, *Sotalia guianensis* (Cetacea: Delphinidae) in southeastern Brazil. *Acta Ethologica*, 19(1), 61–68. <https://doi.org/10.1007/s10211-015-0223-y>
120. Yamamoto, Y., Akamatsu, T., da Silva, V. M. F., & Kohshima, S. (2016). Local habitat use by boto (Amazon river dolphins, *Inia geoffrensis*) using passive acoustic methods. *Marine Mammal Science*, 32(1), 220–240. <https://doi.org/10.1111/mms.12252>
121. Amorim, T. O. S., Andriolo, A., Reis, S. S., & dos Santos, M. E. (2016). Vocalizations of Amazon river dolphins (*Inia geoffrensis*): characterization, effect of physical environment and differences between populations. *The Journal of the Acoustical Society of America*, 139(3), 1285–1293. <https://doi.org/10.1121/1.4943556>
122. Dombroski, J. R. G., Parks, S. E., Groch, K. R., Flores, P. A. C., & Sousa-Lima, R. S. (2016). Vocalizations produced by southern right whale (*Eubalaena australis*) mother-calf pairs in a calving ground off Brazil. *The Journal of the Acoustical Society of America*, 140(3), 1850–1857. <https://doi.org/10.1121/1.4962231>
123. Lima, I. M. S., Andrade, L. G., Bittencourt, L., Bisi, T. L., Flach, L., Lailson-Brito, J., & Azevedo, A. F. (2016). Whistle comparison of four delphinid species in Southeastern Brazil. *The Journal of the Acoustical Society of America*, 139(5), EL124–EL127. <https://doi.org/10.1121/1.4947310>
124. Mercado, E. (2016). Acoustic signaling by singing humpback whales (*Megaptera novaeangliae*): what role does reverberation play? *PLoS ONE*, 11(12), e0167277. <https://doi.org/10.1371/journal.pone.0167277>
125. Gruden, P., White, P. R., Oswald, J. N., Barkley, Y., Cerchio, S., Lammers, M., & Baumann-Pickering, S. (2016). Differences in oscillatory whistles produced by spinner (*Stenella longirostris*) and pantropical spotted (*Stenella attenuata*) dolphins. *Marine Mammal Science*, 32(2), 520–534. <https://doi.org/10.1111/mms.12280>
126. Cantor, M., Whitehead, H., Gero, S., & Rendell, L. (2016). Cultural turnover among Galápagos sperm whales. *Royal Society Open Science*, 3(10), 160615. <https://doi.org/10.1098/rsos.160615>
127. Dahlheim, M., & Castellote, M. (2016). Changes in the acoustic behavior of gray whales *Eschrichtius robustus* in response to noise. *Endangered Species Research*, 31, 227–242. <https://doi.org/10.3354/esr00759>
128. Seger, K. D., Thode, A. M., Urbán-R., J., Martínez-Loustalet, P., Jiménez-López, M. E., & López-Arzate, D. (2016). Humpback whale-generated ambient noise levels provide insight into singers' spatial densities. *The Journal of the Acoustical Society of America*, 140(3), 1581–1597. <https://doi.org/10.1121/1.4962217>
129. Barrios-Garrido, H., De Turris-Morales, K., Nash, C. M., Delgado-Ortega, G., & Espinoza-Rodríguez, N. (2016). Acoustic parameters of Guiana Dolphin (*Sotalia guianensis*) whistles in the southern Gulf of Venezuela. *Aquatic Mammals*, 42(2), 127–136. <https://doi.org/10.1578/AM.42.2.2016.127>
130. Ladegaard, M., Jensen, F. H., Beedholm, K., da Silva, V. M. F., & Madsen, P. T. (2017). Amazon river dolphins (*Inia geoffrensis*) modify biosonar output level and directivity during

- prey interception in the wild. *Journal of Experimental Biology*, jeb.159913.
<https://doi.org/10.1242/jeb.159913>
131. Romeu, B., Cantor, M., Bezamat, C., Simões-Lopes, P. C., & Daura-Jorge, F. G. (2017). Bottlenose dolphins that forage with artisanal fishermen whistle differently. *Ethology*, 123(12), 906–915. <https://doi.org/10.1111/eth.12665>
132. Andrade, L. G. de, Bisi, T. L., Lailson-Brito, J., & Azevedo, A. de F. (2017). Burst pulses of Guiana dolphin (*Sotalia guianensis*) in southeastern Brazil. *The Journal of the Acoustical Society of America*, 141(4), 2947–2956. <https://doi.org/10.1121/1.4981768>
133. Cremer, M. J., Holz, A. C., Bordino, P., Wells, R. S., & Simões-Lopes, P. C. (2017). Social sounds produced by Franciscana dolphins, *Pontoporia blainvilliei* (Cetartiodactyla, Pontoporiidae). *The Journal of the Acoustical Society of America*, 141(3), 2047–2054.
<https://doi.org/10.1121/1.4978437>
134. Bittencourt, L., Lima, I. M. S., Andrade, L. G., Carvalho, R. R., Bisi, T. L., Lailson-Brito, J., & Azevedo, A. F. (2017). Underwater noise in an impacted environment can affect Guiana dolphin communication. *Marine Pollution Bulletin*, 114(2), 1130–1134.
<https://doi.org/10.1016/j.marpolbul.2016.10.037>
135. Dombroski, J. R. G., Parks, S. E., Groch, K. R., Flores, P. A. C., & Sousa-lima, R. S. (2017). Upcall production by southern right whale (*Eubalaena australis*) mother-calf pairs may be independent of diel period in a nursery area. *Marine Mammal Science*, 33(2), 669–677.
<https://doi.org/10.1111/mms.12382>
136. Saddler, M. R., Bocconcini, A., Hickmott, L. S., Chiang, G., Landea-Briones, R., Bahamonde, P. A., Howes, G., Segre, P. S., & Sayigh, L. S. (2017). Characterizing Chilean blue whale vocalizations with DTAGs: a test of using tag accelerometers for caller identification. *The Journal of Experimental Biology*, 220(22), 4119–4129. <https://doi.org/10.1242/jeb.151498>
137. Holst, M., Smultea, M. A., Koski, W. R., Sayegh, A. J., Pavan, G., Beland, J., & Goldstein, H. H. (2017). Cetacean sightings and acoustic detections during a seismic survey off Nicaragua and Costa Rica, November–December 2004. *Revista de Biología Tropical*, 65(2).
<https://doi.org/10.15517/rbt.v65i2.25477>
138. Soldevilla, M. S., Baumann-Pickering, S., Cholewiak, D., Hodge, L. E. W., Oleson, E. M., & Rankin, S. (2017). Geographic variation in Risso's dolphin echolocation click spectra. *The Journal of the Acoustical Society of America*, 142(2), 599–617.
<https://doi.org/10.1121/1.4996002>
139. Oña, J., Garland, E. C., & Denkinger, J. (2017). Southeastern Pacific humpback whales (*Megaptera novaeangliae*) and their breeding grounds: distribution and habitat preference of singers and social groups off the coast of Ecuador. *Marine Mammal Science*, 33(1), 219–235.
<https://doi.org/10.1111/mms.12365>
140. Taylor, B. L., Rojas-Bracho, L., Moore, J., Jaramillo-Legorreta, A., Ver Hoef, J. M., Cardenas-Hinojosa, G., Nieto-Garcia, E., Barlow, J., Gerrodette, T., Tregenza, N., Thomas, L., & Hammond, P. S. (2017). Extinction is imminent for Mexico's endemic porpoise unless fishery bycatch is eliminated. *Conservation Letters*, 10(5), 588–595.
<https://doi.org/10.1111/conl.12331>
141. Širović, A., Oleson, E. M., Buccowich, J., Rice, A., & Bayless, A. R. (2017). Fin whale song variability in southern California and the Gulf of California. *Scientific Reports*, 7(1), 10126.
<https://doi.org/10.1038/s41598-017-09979-4>

142. Thomas, L., Jaramillo-Legorreta, A., Cardenas-Hinojosa, G., Nieto-Garcia, E., Rojas-Bracho, L., Ver Hoef, J. M., Moore, J., Taylor, B., Barlow, J., & Tregenza, N. (2017). Last call: passive acoustic monitoring shows continued rapid decline of critically endangered vaquita. *The Journal of the Acoustical Society of America*, 142(5), EL512–EL517.
<https://doi.org/10.1121/1.5011673>
143. Jaramillo-Legorreta, A., Cardenas-Hinojosa, G., Nieto-Garcia, E., Rojas-Bracho, L., Ver Hoef, J., Moore, J., Tregenza, N., Barlow, J., Gerrodette, T., Thomas, L., & Taylor, B. (2017). Passive acoustic monitoring of the decline of Mexico's critically endangered vaquita. *Conservation Biology*, 31(1), 183–191. <https://doi.org/10.1111/cobi.12789>
144. Paniagua-Mendoza, A., Gendron, D., Romero-Vivas, E., & Hildebrand, J. A. (2017). Seasonal acoustic behavior of blue whales (*Balaenoptera musculus*) in the Gulf of California, Mexico. *Marine Mammal Science*, 33(1), 206–218. <https://doi.org/10.1111/mms.12362>
145. Tellechea, J. S., Ferreira, M., & Norbis, W. (2017). Echolocation and burst clicks from Franciscana dolphins (*Pontoporia blainvillii*) on the coast of Uruguay. *Marine Mammal Science*, 33(2), 687–694. <https://doi.org/10.1111/mms.12383>
146. Tellechea, J. S., Lima, M., Olsson, D., Mendez, V., Perez, W. (2017). Possible distress sounds from a stranded humpback whale (*Megaptera novaeangliae*). *Aquatic mammals*
147. Reyes Reyes, M. V., Marino, A., Dellabianca, N. A., Hevia, M., Torres, M., Raya Rey, A., & Melcón, M. L. (2018). Clicks of wild Burmeister's porpoises (*Phocoena spinipinnis*) in Tierra del Fuego, Argentina: NOTES. *Marine Mammal Science*, 34(4), 1070–1081.
<https://doi.org/10.1111/mms.12489>
148. Leão Martins, D. T., Rossi-Santos, M. R., & Lima Silva, F. J. D. (2018). Effects of anthropogenic noise on the acoustic behaviour of *Sotalia guianensis* (Van Bénéden, 1864) in Pipa, North-eastern Brazil. *Journal of the Marine Biological Association of the United Kingdom*, 98(2), 215–222. <https://doi.org/10.1017/S0025315416001338>
149. Bittencourt, L., Soares-Filho, W., de Lima, I. M. S., Pai, S., Lailson-Brito, J., Barreira, L. M., Azevedo, A. F., & Guerra, L. A. A. (2018). Mapping cetacean sounds using a passive acoustic monitoring system towed by an autonomous wave glider in the southwestern Atlantic Ocean. *Deep Sea Research Part I: Oceanographic Research Papers*, 142, 58–68.
<https://doi.org/10.1016/j.dsr.2018.10.006>
150. Españo-Jiménez, S., & van der Schaar, M. (2018). First record of humpback whale songs in southern Chile: analysis of seasonal and diel variation: humpback whale songs. *Marine Mammal Science*, 34(3), 718–733. <https://doi.org/10.1111/mms.12477>
151. Buchan, S. J., Hucke-Gaete, R., Stafford, K. M., & Clark, C. W. (2018). Occasional acoustic presence of Antarctic blue whales on a feeding ground in southern Chile. *Marine Mammal Science*, 34(1), 220–228. <https://doi.org/10.1111/mms.12441>
152. Cholewiak, D. M., Cerchio, S., Jacobsen, J. K., Urbán-R, J., & Clark, W. (2018). Songbird dynamics under the sea: acoustic interactions between humpback whales suggest song mediates male interactions. *Royal Society Open Science*, 1-14.
<https://doi.org/10.1098/rsos.171298>
153. Casey, C., Reichmuth, C., Costa, D. P., & Le Boeuf, B. (2018). The rise and fall of dialects in northern elephant seals. *Proceedings of the Royal Society B: Biological Sciences*, 285(1892), 20182176. <https://doi.org/10.1098/rspb.2018.2176>

154. López-Urbán, A., Thode, A., Durán, C. B., UrbáN-R, J., & Swartz, S. (2018). Two new grey whale call types detected on bioacoustic tags. *Journal of the Marine Biological Association of the United Kingdom*, 98(5), 1169–1175. <https://doi.org/10.1017/S0025315416001697>
155. Clay, T. A., Mangel, J. C., Alfaro-Shigueto, J., Hodgson, D. J., & Godley, B. J. (2018). Distribution and habitat use of a cryptic small cetacean, the Burmeister's porpoise, monitored from a small-scale fishery platform. *Frontiers in Marine Science*, 5, 220. <https://doi.org/10.3389/fmars.2018.00220>
156. EspaÑol-Jiménez, S., Bahamonde, P. A., Chiang, G., & Häussermann, V. (2019). Discovering sounds in Patagonia: characterizing sei whale (*Balaenoptera borealis*) downsweeps in the south-eastern Pacific Ocean. *Ocean Science*, 15(1), 75–82. <https://doi.org/10.5194/os-15-75-2019>
157. Deconto, L. S., & Monteiro-Filho, E. L. A. (2019). Differences in the sounds of Guiana dolphin *Sotalia guianensis* (Cetacea: Delphinidae) between two areas of south-eastern and southern Brazil. *Bioacoustics*, 28(1), 26–41. <https://doi.org/10.1080/09524622.2017.1361337>
158. Barbosa, M., Bittencourt, L., G. Andrade, L., L. Bisi, T., Lailson-Brito, J., & F. Azevedo, A. (2019). High-frequency social communication in *Sotalia guianensis*. *The Journal of the Acoustical Society of America*, 146(2), EL124–EL128. <https://doi.org/10.1121/1.5120550>
159. Simões Amorim, T. O., Rezende de Castro, F., Rodrigues Moron, J., Ribeiro Duque, B., Couto Di Tullio, J., Resende Secchi, E., & Andriolo, A. (2019). Integrative bioacoustics discrimination of eight delphinid species in the western South Atlantic Ocean. *PLoS ONE*, 14(6), e0217977. <https://doi.org/10.1371/journal.pone.0217977>
160. Melo-Santos, G., Figueiredo Rodrigues, A. L., Tardin, R. H., de Sá Maciel, I., Marmontel, M., Da Silva, M. L., & May-Collado, L. J. (2019). The newly described Araguaian river dolphins, *Inia araguaiaensis* (Cetartiodactyla, Iniidae), produce a diverse repertoire of acoustic signals. *PeerJ*, 7, e6670. <https://doi.org/10.7717/peerj.6670>
161. Moron, JR; Lopes, NP; Reis, SS; Mamede, N; Reis, SS; Toledo, G; Corso, G; Sousa-lima, RS; Andriolo, A. (2019). Whistle variability of Guiana dolphins in South America: latitudinal variation or acoustic adaptation?
162. Jacobs, E., Duffy, M., Magolan, J., Galletti Vernazzani, B., Cabrera, E., Landea, R., Buchan, S., & Sayigh, L. (2019). First acoustic recordings of critically endangered eastern South Pacific southern right whales (*Eubalaena australis*). *Marine Mammal Science*, 35(1), 284–289. <https://doi.org/10.1111/mms.12519>
163. Buchan, S., Gutierrez, L., Balcazar-Cabrera, N., & Stafford, K. (2019). Seasonal occurrence of fin whale song off Juan Fernandez, Chile. *Endangered Species Research*, 39, 135–145. <https://doi.org/10.3354/esr00956>
164. Chereskin, E., Beck, L., Gamboa-Poveda, M. P., Palacios-Alfaro, J. D., Monge-Arias, R., Chase, A. R., Coven, B. M., Gloria Guzmán, A., McManus, N. W., Neuhaus, A. P., O'Halloran, R. A., Rosen, S. G., & May-Collado, L. J. (2019). Song structure and singing activity of two separate humpback whale populations wintering off the coast of Caño Island in Costa Rica. *The Journal of the Acoustical Society of America*, 146(6), EL509–EL515. <https://doi.org/10.1121/1.5139205>

165. Oña, J., Duque, E., Garland, E. C., Seger, K., Narváez, M., Maldonado, J., & Denkinger, J. (2019). A Giant's Dance: underwater social and vocal behavior of humpback whales (*Megaptera novaeangliae*) recorded on the northern coast of Ecuador. *Aquatic Mammals*, 45(4), 456–464. <https://doi.org/10.1578/AM.45.4.2019.456>
166. Eguiguren, A., Pirotta, E., Cantor, M., Rendell, L., & Whitehead, H. (2019). Habitat use of culturally distinct Galápagos sperm whale *Physeter macrocephalus* clans. *Marine Ecology Progress Series*, 609, 257–270. <https://doi.org/10.3354/meps12822>
167. Heenehan, H., Stanistreet, J. E., Corkeron, P. J., Bouveret, L., Chalifour, J., Davis, G. E., Henriquez, A., Kiszka, J. J., Kline, L., Reed, C., Shamir-Reynoso, O., Védie, F., De Wolf, W., Hoetjes, P., & Van Parijs, S. M. (2019). Caribbean Sea soundscapes: monitoring humpback whales, biological sounds, geological events, and anthropogenic impacts of vessel noise. *Frontiers in Marine Science*, 6, 347. <https://doi.org/10.3389/fmars.2019.00347>
168. Darling, J. D., Acebes, J. M. V., Frey, O., Jorge Urbán, R., & Yamaguchi, M. (2019). Convergence and divergence of songs suggests ongoing, but annually variable, mixing of humpback whale populations throughout the North Pacific. *Scientific Reports*, 9(1), 7002. <https://doi.org/10.1038/s41598-019-42233-7>
169. Jaramillo-Legorreta, A. M., Cardenas-Hinojosa, G., Nieto-Garcia, E., Rojas-Bracho, L., Thomas, L., Ver Hoef, J. M., Moore, J., Taylor, B., Barlow, J., & Tregenza, N. (2019). Decline towards extinction of Mexico's vaquita porpoise (*Phocoena sinus*). *Royal Society Open Science*, 6(7), 190598. <https://doi.org/10.1098/rsos.190598>
170. Martin, S. B., Morris, C., Bröker, K., & O'Neill, C. (2019). Sound exposure level as a metric for analyzing and managing underwater soundscapes. *The Journal of the Acoustical Society of America*, 146(1), 135–149. <https://doi.org/10.1121/1.5113578>
171. Merchan, F., Echevers, G., Poveda, H., Sanchez-Galan, J. E., & Guzman, H. M. (2019). Detection and identification of manatee individual vocalizations in Panamanian wetlands using spectrogram clustering. *The Journal of the Acoustical Society of America*, 146(3), 1745–1757. <https://doi.org/10.1121/1.5126504>
172. Clay, T., Alfaro-Shigueto, J., Godley, B., Tregenza, N., & Mangel, J. (2019). Pingers reduce the activity of Burmeister's porpoise around small-scale gillnet vessels. *Marine Ecology Progress Series*, 626, 197–208. <https://doi.org/10.3354/meps13063>
173. Schneider, J. N., & Mercado, E. (2019). Characterizing the rhythm and tempo of sound production by singing whales. *Bioacoustics*, 28(3), 239–256. <https://doi.org/10.1080/09524622.2018.1428827>
174. Ramos, E. A., Maust-Mohl, M., Collom, K. A., Brady, B., Gerstein, E. R., Magnasco, M. O., & Reiss, D. (2020). The Antillean manatee produces broadband vocalizations with ultrasonic frequencies. *The Journal of the Acoustical Society of America*, 147(2), EL80–EL86. <https://doi.org/10.1121/10.0000602>
175. Tannure, N. C., Barbosa, F. S., Barcellos, D. D., Mattiuzzo, B., Martinelli, A., Campos, L. B., Conversani, V. R. M., & Santos, M. C. de O. (2020). Acoustic description of beach-hunting Guiana dolphins (*Sotalia guianensis*) in the Cananéia Estuary, Southeastern Brazil. *Aquatic Mammals*, 46(1), 11–20. <https://doi.org/10.1578/AM.46.1.2020.11>
176. Dombroski, J. R. G., Parks, S. E., A. C. Flores, P., Martín López, L. M., Shorter, K. A., & Groch, K. R. (2020). Animal-borne tags provide insights into the acoustic communication of southern

- right whales (*Eubalaena australis*) on the calving grounds. *The Journal of the Acoustical Society of America*, 147(6), EL498–EL503. <https://doi.org/10.1121/10.0001391>
177. Amorim, T. O. S., Rendell, L., Di Tullio, J., Secchi, E. R., Castro, F. R., & Andriolo, A. (2020). Coda repertoire and vocal clans of sperm whales in the western Atlantic Ocean. *Deep Sea Research Part I: Oceanographic Research Papers*, 160, 103254. <https://doi.org/10.1016/j.dsr.2020.103254>
178. Lima, I. M. S., Venuto, R., Menchaca, C., Hoffmann, L. S., Dalla Rosa, L., Genoves, R., Fruet, P. F., Milanelli, A., Laporta, P., Tassino, B., Bueno, S. M., Freitas, T. R. O., Bittencourt, L., Lailson-Brito, J., & Azevedo, A. F. (2020). Geographic variation in the whistles of bottlenose dolphins (*Tursiops spp.*) in the southwestern Atlantic Ocean. *Marine Mammal Science*, 36(3), 1058–1067. <https://doi.org/10.1111/mms.12690>
179. Moreira, S. C., Weksler, M., Sousa-Lima, R. S., Maia, M., Sukhovich, A., Royer, J.-Y., Marcondes, M. C. C., & Cerchio, S. (2020). Occurrence of Omura's whale, *Balaenoptera omurai* (Cetacea: Balaenopteridae), in the Equatorial Atlantic Ocean based on passive acoustic monitoring. *Journal of Mammalogy*, 101(6), 1727–1735. <https://doi.org/10.1093/jmammal/gyaa130>
180. Melo-Santos, G., Walmsley, S. F., Marmontel, M., Oliveira-da-Costa, M., & Janik, V. M. (2020). Repeated downsweep vocalizations of the Araguaian river dolphin, *Inia araguaiaeensis*. *The Journal of the Acoustical Society of America*, 147(2), 748–756. <https://doi.org/10.1121/10.0000624>
181. Bittencourt, L., Barbosa, M., Santos-Neto, E. B., Bisi, T. L., Lailson-Brito, J., & Azevedo, A. F. (2020). Whistles of Atlantic spotted dolphin from a coastal area in the southwestern Atlantic Ocean. *The Journal of the Acoustical Society of America*, 148(5), EL420–EL426. <https://doi.org/10.1121/10.0002637>
182. Malige, F., Patris, J., Buchan, S. J., Stafford, K. M., Shabangu, F., Findlay, K., Hucke-Gaete, R., Neira, S., Clark, C. W., & Glotin, H. (2020). Inter-annual decrease in pulse rate and peak frequency of Southeast Pacific blue whale song types. *Scientific Reports*, 10(1), 8121. <https://doi.org/10.1038/s41598-020-64613-0>
183. Buchan, SJ; Balcazar-Cabrera, N; Stafford, KM. (2020). Seasonal acoustic presence of blue, fin, and minke whales off the Juan Fernandez Archipelago, Chile (2007-2016). *Marine Biodiversity*. <https://doi.org/10.1007/s12526-020-01087-3>
184. Patris, J., Buchan, S. J., Alosilla, G., Balcazar-Cabrera, N., Malige, F., & Glotin, H. (2020). Southeast Pacific blue whale song recorded off Isla Chañaral, northern Chile. *Marine Mammal Science*, 36(4), 1339–1346. <https://doi.org/10.1111/mms.12738>
185. Schall, E., Di Iorio, L., Berchok, C., Filún, D., Bedriñana-Romano, L., Buchan, S. J., Van Opzeeland, I., Sears, R., & Hucke-Gaete, R. (2020). Visual and passive acoustic observations of blue whale trios from two distinct populations. *Marine Mammal Science*, 36(1), 365–374. <https://doi.org/10.1111/mms.12643>
186. Cárdenas Hinojosa, G., de la Cueva, H., Gerrodette, T., & Jaramillo-Legorreta, A. M. (2020). Distribution of the acoustic occurrence of dolphins during the summers 2011 to 2015 in the Upper Gulf of California, Mexico. *PeerJ*, 8, e9121. <https://doi.org/10.7717/peerj.9121>
187. Gauger, M. F., Caraveo-Patiño, J., & Romero-Vivas, E. (2021). Passive acoustic monitoring of the bottlenose dolphin *Tursiops truncatus* to determine continuous presence in Ensenada de

- La Paz, Mexico. *Revista de Biología Marina y Oceanografía*, 55(3), 238–249.
<https://doi.org/10.22370/rbmo.2020.55.3.2588>
188. Archer, F. I., Rankin, S., Stafford, K. M., Castellote, M., & Delarue, J. (2020). Quantifying spatial and temporal variation of North Pacific fin whale (*Balaenoptera physalus*) acoustic behavior. *Marine Mammal Science*, 36(1), 224–245. <https://doi.org/10.1111/mms.12640>
189. Frouin-Mouy, H., Tenorio-Hallé, L., Thode, A., Swartz, S., & Urbán, J. (2020). Using two drones to simultaneously monitor visual and acoustic behaviour of gray whales (*Eschrichtius robustus*) in Baja California, Mexico. *Journal of Experimental Marine Biology and Ecology*, 525, 151321. <https://doi.org/10.1016/j.jembe.2020.151321>
190. Martin, M. J., Torres Ortiz, S., Reyes Reyes, M. V., Marino, A., Iñíguez Bessega, M., & Wahlberg, M. (2021). Commerson's dolphins (*Cephalorhynchus commersonii*) can relax acoustic crypsis. *Behavioral Ecology and Sociobiology*, 75(6), 100. <https://doi.org/10.1007/s00265-021-03035-y>
191. Pellegrini, A. Y., Romeu, B., Ingram, S. N., & Daura-Jorge, F. G. (2021). Boat disturbance affects the acoustic behaviour of dolphins engaged in a rare foraging cooperation with fishers. *Animal Conservation*, 24(4), 613–625. <https://doi.org/10.1111/acv.12667>
192. de Melo, J. F., Amorim, T. O. S., & Andriolo, A. (2021). Delving deep into unheard waters: new types of low frequency pulsed sounds described for the boto (*Inia geoffrensis*). *Mammalian Biology*, 101(4), 429–437. <https://doi.org/10.1007/s42991-021-00134-1>
193. Barcellos, D. D., & Santos, M. C. (2021). Echolocation characteristics of Franciscana dolphins (*Pontoporia blainvilliei*). *Marine Mammal Science*, 37(3), 1139–1149. <https://doi.org/10.1111/mms.12796>
194. Paitach, R. L., Amundin, M., Teixeira, G., & Cremer, M. J. (2021). Echolocation variability of Franciscana dolphins (*Pontoporia blainvilliei*) between estuarine and open-sea habitats, with insights into foraging patterns. *The Journal of the Acoustical Society of America*, 150(5), 3987–3998. <https://doi.org/10.1121/10.0007277>
195. Deconto, L. S., Freitas, T. C., Guaraldo, A. C., Leão, D. T., Silva, F. J. L., & Monteiro-Filho, E. L. A. (2022). Propagation of Guiana dolphin sounds in their habitat: measured transmission loss and influence of environmental factors. *Bioacoustics*, 31(3), 313–331. <https://doi.org/10.1080/09524622.2021.1929488>
196. Melo, J. F., Amorim, T. O. S., Paschoalini, M., & Andriolo, A. (2021). The biosonar of the boto: evidence of differences among species of river dolphins (*Inia* spp.) from the Amazon. *PeerJ*, 9, e11105. <https://doi.org/10.7717/peerj.11105>
197. Luís, A. R., May-Collado, L. J., Rako-Gospic, N., Gridley, T., Papale, E., Azevedo, A., Silva, M. A., Buscaino, G., Herzing, D., & dos Santos, M. E. (2021). Vocal universals and geographic variations in the acoustic repertoire of the common bottlenose dolphin. *Scientific Reports*, 11(1), 11847. <https://doi.org/10.1038/s41598-021-90710-9>
198. Pires, C. R., Rossi-Santos, M. R., Paro, A. D., & Wedekin, L. L. (2021). Whistles of the pantropical spotted dolphin (*Stenella attenuata*) in Santos Basin, western South Atlantic Ocean. *The Journal of the Acoustical Society of America*, 149(5), 3241–3249. <https://doi.org/10.1121/10.0004950>
199. Truong, G., & Rogers, T. L. (2021). Seasonal occurrence of sympatric blue whale subspecies: the Chilean and southeast Indian ocean pygmy blue whales with the Antarctic blue whale. *Frontiers in Marine Science*, 8, 67145. <https://doi.org/10.3389/fmars.2021.67145>

200. Mercado, E., & Perazio, C. E. (2021). Similarities in composition and transformations of songs by humpback whales (*Megaptera novaeangliae*) over time and space. *Journal of Comparative Psychology*, 135(1), 28–50. <https://doi.org/10.1037/com0000268>
201. Rey-Baquero, M. P., Huertas-Amaya, L. V., Seger, K. D., Botero-Acosta, N., Luna-Acosta, A., Perazio, C. E., Boyle, J. K., Rosenthal, S., & Vallejo, A. C. (2021). Understanding effects of whale-watching vessel noise on humpback whale song in the North Pacific coast of Colombia with propagation models of masking and acoustic data observations. *Frontiers in Marine Science*, 8, 623724. <https://doi.org/10.3389/fmars.2021.623724>
202. Viloria-Gómora, L., Urbán R, J., Leon-Lopez, B., & Romero-Vivas, E. (2021). Geographic variation in Bryde's whale Be4 calls in the Gulf of California: an insight to population dynamics. *Frontiers in Marine Science*, 8, 651469. <https://doi.org/10.3389/fmars.2021.651469>
203. Callejas-Jimenez, ME; Alcerreca-Huerta, JC; Morales-Vela, B; Carrillo, L. (2021). Spatial and seasonal variations in surface water temperature and salinity in the Mexico-Belize riverine estuary: possible comfort conditions for manatees?. *Marine Mammal Science* 37(4), 1454-1474. <https://doi.org/10.1111/mms.12838>
204. Perez-Ortega, B., Daw, R., Paradee, B., Gimbrere, E., & May-Collado, L. J. (2021). Dolphin-watching boats affect whistle frequency modulation in bottlenose dolphins. *Frontiers in Marine Science*, 8, 618420. <https://doi.org/10.3389/fmars.2021.618420>
205. Mercado III, E., & Perazio, C. E. (2022). All units are equal in humpback whale songs, but some are more equal than others. *Animal Cognition*, 25(1), 149–177. <https://doi.org/10.1007/s10071-021-01539-8>